```
* * * * * * * * * *   Welcome to STN International   * * * * * * * * * *

 NEWS  1           Web Page URLs for STN Seminar Schedule - N. America
 NEWS  2           "Ask CAS" for self-help around the clock
 NEWS  3  JUL 20   Powerful new interactive analysis and visualization software,
                   STN AnaVist, now available
 NEWS  4  AUG 11   STN AnaVist workshops to be held in North America
 NEWS  5  AUG 30   CA/CAplus -Increased access to 19th century research documents
 NEWS  6  AUG 30   CASREACT - Enhanced with displayable reaction conditions
 NEWS  7  SEP 09   ACD predicted properties enhanced in REGISTRY/ZREGISTRY
 NEWS  8  OCT 03   MATHDI removed from STN
 NEWS  9  OCT 04   CA/CAplus-Canadian Intellectual Property Office (CIPO) added
                   to core patent offices
 NEWS 10  OCT 06   STN AnaVist workshops to be held in North America
 NEWS 11  OCT 13   New CAS Information Use Policies Effective October 17, 2005
 NEWS 12  OCT 17   STN(R) AnaVist(TM), Version 1.01, allows the export/download
                   of CAplus documents for use in third-party analysis and
                   visualization tools

 NEWS EXPRESS  JUNE 13 CURRENT WINDOWS VERSION IS V8.0, CURRENT
               MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
               AND CURRENT DISCOVER FILE IS DATED 13 JUNE 2005

 NEWS HOURS    STN Operating Hours Plus Help Desk Availability
 NEWS INTER    General Internet Information
 NEWS LOGIN    Welcome Banner and News Items
 NEWS PHONE    Direct Dial and Telecommunication Network Access to STN
 NEWS WWW      CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

  All use of STN is subject to the provisions of the STN Customer
  agreement.  Please note that this agreement limits use to scientific
  research.  Use for software development or design or implementation
  of commercial gateways or other similar uses is prohibited and may
  result in loss of user privileges and other penalties.

  * * * * * * * * * * * * * * STN  Columbus * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 14:19:39 ON 18 OCT 2005

=> fil reg
COST IN U.S. DOLLARS                            SINCE FILE      TOTAL
                                                   ENTRY    SESSION
FULL ESTIMATED COST                                 0.21       0.21

FILE 'REGISTRY' ENTERED AT 14:19:53 ON 18 OCT 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES:   17 OCT 2005  HIGHEST RN 865410-76-0
DICTIONARY FILE UPDATES:  17 OCT 2005  HIGHEST RN 865410-76-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.
```

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

```
**********************************************************************
*                                                                    *
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added,    *
* effective March 20, 2005.  A new display format, IDERL, is now     *
* available and contains the CA role and document type information.  *
*                                                                    *
**********************************************************************
```

Structure search iteration limits have been increased. See HELP SLIMITS for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

```
=> s 574-93-6/rn
L1            1 574-93-6/RN

=> d rid
'RID' IS NOT A VALID FORMAT FOR FILE 'REGISTRY'
```

The following are valid formats:

Substance information can be displayed by requesting individual fields or predefined formats. The predefined substance formats are: (RN = CAS Registry Number)

```
REG    - RN
SAM    - Index Name, MF, and structure - no RN
FIDE   - All substance data, except sequence data
IDE    - FIDE, but only 50 names
SQIDE  - IDE, plus sequence data
SQIDE3 - Same as SQIDE, but 3-letter amino acid codes are used
SQD    - Protein sequence data, includes RN
SQD3   - Same as SQD, but 3-letter amino acid codes are used
SQN    - Protein sequence name information, includes RN

CALC   - Table of calculated properties
EPROP  - Table of experimental properties
PROP   - EPROP and CALC
```

Any CA File format may be combined with any substance format to obtain CA references citing the substance. The substance formats must be cited first. The CA File predefined formats are:

```
ABS  -- Abstract
APPS -- Application and Priority Information
BIB  -- CA Accession Number, plus Bibliographic Data
CAN  -- CA Accession Number
CBIB -- CA Accession Number, plus Bibliographic Data (compressed)
IND  -- Index Data
IPC  -- International Patent Classification
```

```
PATS -- PI, SO
STD  -- BIB, IPC, and NCL

IABS -- ABS, indented, with text labels
IBIB -- BIB, indented, with text labels
ISTD -- STD format, indented

OBIB -------- AN, plus Bibliographic Data (original)
OIBIB ------- OBIB, indented with text labels

SBIB -------- BIB, no citations
SIBIB ------- IBIB, no citations

The ALL format gives FIDE BIB ABS IND RE, plus sequence data when
it is available.
The MAX format is the same as ALL.
The IALL format is the same as ALL with BIB ABS and IND indented,
with text labels.

For additional information, please consult the following help
messages:

HELP DFIELDS -- To see a complete list of individual display fields.
HELP FORMATS -- To see detailed descriptions of the predefined formats.
ENTER DISPLAY FORMAT (IDE):rsd

L1   ANSWER 1 OF 1  REGISTRY  COPYRIGHT 2005 ACS on STN

Ring System Data

  Elemental  |  Elemental  |  Size of   |Ring System|   Ring    |   RID
  Analysis   |  Sequence   | the Rings  |  Formula  |Identifier|Occurrence
     EA      |     ES      |     SZ     |     RF    |    RID    |  Count
=============+=============+============+===========+===========+==========
C4N-C4N-C4N- |NC4-NC4-NC4- |5-5-5-5-6-6-|C32N8      |13560.6.4  |1
C4N-C6-C6-C6-|NC4-C6-C6-C6-|6-6-16      |           |           |
C6-C8N8      |C6-          |            |           |           |
             |NCNCNCNCNCNCN|            |           |           |
             |CNC          |            |           |           |



=> s 23627-89-6/rn
L2            1 23627-89-6/RN

=> d rsd

L2   ANSWER 1 OF 1  REGISTRY  COPYRIGHT 2005 ACS on STN

Ring System Data

  Elemental  |  Elemental  |  Size of   |Ring System|   Ring    |   RID
  Analysis   |  Sequence   | the Rings  |  Formula  |Identifier|Occurrence
     EA      |     ES      |     SZ     |     RF    |    RID    |  Count
=============+=============+============+===========+===========+==========
C4N-C4N-C4N- |NC4-NC4-NC4- |5-5-5-5-6-6-|C48N8      |14242.1.1  |1
C4N-C6-C6-C6-|NC4-C6-C6-C6-|6-6-6-6-6-6-|           |           |
C6-C6-C6-C6- |C6-C6-C6-C6- |16          |           |           |
C6-C8N8      |C6-          |            |           |           |
             |NCNCNCNCNCNCN|            |           |           |
             |CNC          |            |           |           |
```

```
=> s 2 13560.6.4/rid
       8454941 2/RID.CNT
          1822 13560.6.4/RID
L3           34 2 13560.6.4/RID
                (2/RID.CNT (T) 13560.6.4/RID)

=> s l3 and nc=1
      79137461 NC=1
L4           33 L3 AND NC=1

=> s l4 and o/els
      22771773 O/ELS
L5           27 L4 AND O/ELS

=> d scan

L5   27 ANSWERS   REGISTRY  COPYRIGHT 2005 ACS on STN
IN   29H,31H-Phthalocyanine, 2,2'-[dithiobis(10,1-decanediyloxy)]bis[9,16,23-
     tris(1,1-dimethylethyl)- (9CI)
MF   C108 H122 N16 O2 S2
```





PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L5 27 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN 29H,31H-Phthalocyanine, 2,2'-[(2-ethyl-2-methyl-1,3-propanediyl)bis(oxy)]bis[9,10,16,17,23,24-hexakis(3,3-dimethyl-1-butynyl)-(9CI)
MF **C142 H142 N16 O2**







PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L5 27 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN Ethanedioic acid, bis[8-(4-methyl-8,11,15,18,22,25-hexaoctyl-29H,31H-phthalocyanin-1-yl)octyl] ester (9CI)
MF **C180 H262 N16 O4**




PAGE 1-B
O
O
(CH 2) 8
(CH 2) 7


PAGE 2-A
Me


PAGE 2-B
Me
H
N
Me
NH
N
(CH 2) 7
Me
N
N
N
N
(CH 2) 7
(CH 2) 7
Me
N
(CH 2) 7
R
Me



HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L5 27 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN Ethanedioic acid, bis[4-(4-methyl-8,11,15,18,22,25-hexaoctyl-29H,31H-phthalocyanin-1-yl)butyl] ester (9CI)
MF **C172 H246 N16 O4**




PAGE 1-B
R
Me
(CH2)7
(CH2)7
Me
N
HN
Me
Me
(CH2)7


PAGE 2-A
(CH2)7
Me
Me
(CH2)7
(CH2)7
Me
NH
N
(CH2)7
Me
(CH2)4
(CH2)7
Me
Me
(CH2)7
R
Me



HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L5 27 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN 29H,31H-Phthalocyanine, 2,2'-(1,2-ethenediyl)bis[9,16,23-tris(2,2-dimethylpropoxy)-, (E)- (9CI)
MF **C96 H96 N16 O6**







PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L5 27 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN 29H,31H-Phthalocyanine, 2,2'-(1,2-ethynediyl)bis[9,16,23-tris(2,2-dimethylpropoxy)- (9CI)
MF **C96 H94 N16 O6**





PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L5 27 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN 29H,31H-Phthalocyanine, 2,9,16-tris(2,2-dimethylpropoxy)-23-[2-methyl-2-[(29H,31H-phthalocyanin-2-yloxy)methyl]butoxy]- (9CI)
MF **C85 H76 N16 O5**





PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L5 27 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN 29H,31H-Phthalocyanine, 2,2'-(1,8-anthracenediyl)bis[9,16,23-tris(2,2-dimethylpropoxy)- (9CI)
MF **C108 H102 N16 O6**





PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L5 27 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN 2,2'-Bi-29H,31H-phthalocyanine, 9,9',16,16',23,23'-hexakis(2,2-dimethylpropoxy)- (9CI)
MF **C94 H94 N16 O6**







PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L5 27 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN 29H,31H-Phthalocyanine, 2,2'-oxybis[9,16,23-tris(2,2-dimethylpropoxy)-

(9CI)
MF C94 H94 N16 O7







PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L5 27 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN 29H,31H-Phthalocyanine, 2,2'-(1,2-ethanediyl)bis[9,16,23-tris(2,2-dimethylpropoxy)- (9CI)
MF **C96 H98 N16 O6**







PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1)end

=> s 19717-79-4/rn
L6 1 19717-79-4/RN

=> d rsd

L6 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2005 ACS on STN

Ring System Data

Elemental Analysis EA	Elemental Sequence ES	Size of the Rings SZ	Ring System Formula RF	Ring Identifier RID	RID Occurrence Count
C4N-C4N-C4N-	NC4-NC4-NC4-	5-5-5-5-6-6-	C32GaN8	13605.39.1	1
C4N-C2GaN3-	NC4-GaNCNCN-	6-6-6-6-6-6			
C2GaN3-	GaNCNCN-				
C2GaN3-	GaNCNCN-				

```
C2GaN3-C6-C6-|GaNCNCN-C6- |           |           |           |
C6-C6        |C6-C6-C6    |           |           |           |
```

```
=> s 16903-42-7/rn
L7            1 16903-42-7/RN

=> d rsd

L7   ANSWER 1 OF 1  REGISTRY  COPYRIGHT 2005 ACS on STN

Ring System Data

  Elemental  | Elemental  |  Size of   |Ring System|   Ring    |   RID
  Analysis   |  Sequence  | the Rings  |  Formula  |Identifier|Occurrence
     EA      |     ES     |     SZ     |     RF    |    RID    |  Count
=============+============+============+===========+==========+==========
C4N-C4N-C4N- |NC4-NC4-NC4-|5-5-5-5-6-6-|C32N8Ti    |13605.79.1|1
C4N-C2N3Ti-  |NC4-NTiNCNC-|6-6-6-6-6-6 |           |          |
C2N3Ti-      |NTiNCNC-    |            |           |          |
C2N3Ti-      |NTiNCNC-    |            |           |          |
C2N3Ti-C6-C6-|NTiNCNC-C6- |            |           |          |
C6-C6        |C6-C6-C6    |            |           |          |
```

```
=> s 2 13605/rid
       8454941 2/RID.CNT
         24498 13605/RID
L8         598 2 13605/RID
               (2/RID.CNT (T) 13605/RID)

=> s l8 and o/els
      22771773 O/ELS
L9          476 L8 AND O/ELS

=> d scan

L9   476 ANSWERS   REGISTRY  COPYRIGHT 2005 ACS on STN
IN   Silicate(2-), μ-oxodioxobis[29H,31H-phthalocyaninato(2-)-
     κN29,κN30,κN31,κN32]di-, dipotassium (9CI)
MF   C64 H32 N16 O3 Si2 . 2 K
CI   CCS

 STRUCTURE DIAGRAM IS NOT AVAILABLE

**PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT**


HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L9   476 ANSWERS   REGISTRY  COPYRIGHT 2005 ACS on STN
IN   Zinc, [μ-[[2,2'-[(3E,9E)-3,4,9,10-tetrakis[[[(1,1-
     dimethylethyl)dimethylsilyl]oxy]methyl]-3,9-dodecadiene-1,5,7,11-tetrayne-
     1,12-diyl]bis[9,16,23-tris(1,1-dimethylethyl)-29H,31H-phthalocyaninato-
     κN29,κN30,κN31,κN32]](4-)]]di- (9CI)
MF   C128 H146 N16 O4 Si4 Zn2
CI   CCS
```


PAGE 1-A
Bu-t


PAGE 1-C
Bu-t


PAGE 2-A
t-Bu
2+
Zn
Me
Me
t-Bu
Si
O
CH2
Me


PAGE 2-B
t-Bu
t-Bu
Si
Me
Me
Si
Me
CH2
O
Me
O
CH2
CH2
O
Si
t-Bu
Me





HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L9 476 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN Iron, μ-oxobis[2,9,16,23-tetraethyl-29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]di- (9CI)
MF **C80 H64 Fe2 N16 O**
CI CCS

STRUCTURE DIAGRAM IS NOT AVAILABLE

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L9 476 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN Silicon, hydroxy-μ-oxobis[29H,31H-tetrabenzo[b,g,l,q]porphinato(2-)-N29,N30,N31,N32](trihexyl orthosilicato-O''')di- (9CI)
MF **C90 H80 N8 O6 Si3**
CI CCS

STRUCTURE DIAGRAM IS NOT AVAILABLE

```
HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L9   476 ANSWERS   REGISTRY  COPYRIGHT 2005 ACS on STN
IN   Iron, μ-methanetetraylbis[29H,31H-phthalocyaninato(2-)-
     N29,N30,N31,N32]bis(2-propanone)di- (9CI)
MF   C71 H44 Fe2 N16 O2
CI   CCS

 STRUCTURE DIAGRAM IS NOT AVAILABLE

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L9   476 ANSWERS   REGISTRY  COPYRIGHT 2005 ACS on STN
IN   Iron, μ-oxobis[N,N',N'',N'''-tetradodecyl-29H,31H-phthalocyanine-
     C,C,C,C-tetrasulfonamidato(2-)-N29,N30,N31,N32]di- (9CI)
MF   C160 H232 Fe2 N24 O17 S8
CI   CCS, IDS

 STRUCTURE DIAGRAM IS NOT AVAILABLE

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1)end

=> d his

     (FILE 'HOME' ENTERED AT 14:19:39 ON 18 OCT 2005)

     FILE 'REGISTRY' ENTERED AT 14:19:53 ON 18 OCT 2005
L1            1 S 574-93-6/RN
L2            1 S 23627-89-6/RN
L3           34 S 2 13560.6.4/RID
L4           33 S L3 AND NC=1
L5           27 S L4 AND O/ELS
L6            1 S 19717-79-4/RN
L7            1 S 16903-42-7/RN
L8          598 S 2 13605/RID
L9          476 S L8 AND O/ELS

=> s l9 and nc=1
      79137461 NC=1
L10         398 L9 AND NC=1

=> s l10 and oxobis
         14642 OXOBIS
L11         159 L10 AND OXOBIS

=> s l10 and oxo not l11
       4287424 OXO
L12          63 L10 AND OXO NOT L11

=> d scan

L12  63 ANSWERS   REGISTRY  COPYRIGHT 2005 ACS on STN
IN   Molybdenum(1+), μ-oxo[29H,31H-phthalocyaninato(2-)-
     κN29,κN30,κN31,κN32][[29H,31H-phthalocyaninato(2-)-
     κN29,κN30,κN31,κN32]gallium]- (9CI)
MF   C64 H32 Ga Mo N16 O
CI   CCS, COM

 STRUCTURE DIAGRAM IS NOT AVAILABLE

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).
```

L12 63 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN Ruthenium(2+), bis[(4-methylpyridine)[29H,31H-phthalocyaninato(2-)-κN29,κN30,κN31,κN32]iron]di-μ-oxo[5,10,15,20-tetrakis(4-methoxyphenyl)-21H,23H-porphinato(2-)-κN21,κN22,κN23,κN24]- (9CI)
MF C124 H82 Fe2 N22 O6 Ru
CI CCS

STRUCTURE DIAGRAM IS NOT AVAILABLE

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L12 63 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN Silicate(1-), dimethylbis[2,3,9,10,16,17,23,24-octapentyl-29H,31H-phthalocyaninato(2-)-κN29,κN30,κN31,κN32]-μ-oxodi- (9CI)
MF C146 H198 N16 O Si2
CI CCS

STRUCTURE DIAGRAM IS NOT AVAILABLE

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L12 63 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN Iron, bis(1-methyl-1H-imidazole-κN3)bis[1,4,8,11,15,18,22,25-octakis(trifluoromethyl)-29H,31H-phthalocyaninato(2-)-κN29,κN30,κN31,κN32]-μ-oxodi- (9CI)
MF C88 H28 F48 Fe2 N20 O
CI CCS

STRUCTURE DIAGRAM IS NOT AVAILABLE

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L12 63 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN Indium, μ-oxo[[29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]aluminum][2,9,16,23-tetrakis(1,1-dimethylethyl)-29H,31H-tetrabenzo[b,g,l,q]porphinato(2-)-N29,N30,N31,N32]- (9CI)
MF C84 H68 Al In N12 O
CI CCS

STRUCTURE DIAGRAM IS NOT AVAILABLE

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L12 63 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN Magnesate(1-), bis[29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32][μ-(superoxido-O:O')]di- (9CI)
MF C64 H32 Mg2 N16 O2
CI CCS





HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L12 63 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN **Vanadium, [μ-[bis[4-[[8,9,10,11,15,16,17,18,22,23,24,25-dodecakis(2,2,2-trifluoroethoxy)-29H,31H-phthalocyanin-2-yl-κN29,κN30,κN31,κN32]ethynyl]phenyl]methanonato(4-)]]dioxodi- (9CI)**
MF **C129 H62 F72 N16 O27 V2**
CI CCS


PAGE 1-A
F3C-CH2-O
O-CH2-CF3
F3C-CH2-O
O-CH2-CF3
F3C-CH2-O
F3C-CH2-O
F3C-CH2-O
F3C-CH2-O
N
N
N
N
N
N
N
N
O
V
2+
C≡C


PAGE 1-B
O
C
C≡C







PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L12 63 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN **Ruthenium, [(4-methylpyridine)bis[29H,31H-phthalocyaninato(2-)-κN29,κN30,κN31,κN32](triethyl phosphite-κP)diiron]di-μ-oxo[5,10,15,20-tetrakis(4-methoxyphenyl)-21H,23H-porphinato(2-)-κN21,κN22,κN23,κN24]- (9CI)**
MF **C124 H90 Fe2 N21 O9 P Ru**
CI CCS

STRUCTURE DIAGRAM IS NOT AVAILABLE

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L12 63 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN **Silicon, bis(2-mercaptoethanolato-κO)bis[2,3,9,10,16,17,23,24-octapentyl-29H,31H-phthalocyaninato(2-)-κN29,κN30,κN31,. kappa.N32]-μ-oxodi- (9CI)**
MF **C148 H202 N16 O3 S2 Si2**
CI CCS

STRUCTURE DIAGRAM IS NOT AVAILABLE

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L12 63 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN **Silicon, bis[(1,1-dimethylethyl)dimethylsilanolato]bis[2,3,9,10,16,17,23,24-octaoctyl-29H,31H-phthalocyaninato(2-)-κN29,κN30,κN31,κN32]-μ-oxodi-, stereoisomer (9CI)**
MF **C204 H318 N16 O3 Si4**
CI CCS

STRUCTURE DIAGRAM IS NOT AVAILABLE

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L12 63 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN **Iron, bis[2,3,9,10,16,17,23,24-octakis(pentyloxy)-29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]-μ-oxodi- (9CI)**
MF **C144 H192 Fe2 N16 O17**
CI CCS

STRUCTURE DIAGRAM IS NOT AVAILABLE

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L12 63 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN **Titanium(1+), μ-oxo[[29H,31H-phthalocyaninato(2-)-κN29,κN30,κN31,κN32]gallium][C,C,C,C-tetrakis(1,1-dimethylethyl)-29H,31H-phthalocyaninato(2-)-κN29,κN30,κN31,κN32]- (9CI)**
MF **C80 H64 Ga N16 O Ti**
CI CCS, IDS, COM

STRUCTURE DIAGRAM IS NOT AVAILABLE

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L12 63 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN **Titanium, dioxo[μ-[[2,2'-(1,3-phenylene)bis[29H,31H-tribenzo[b,g,l]pyrazino[2,3-q]porphyrazinato-κN29,κN30,κN31,κN32]](4-)]]di- (9CI)**
MF **C66 H30 N20 O2 Ti2**
CI CCS


PAGE 1-A
2+
Ti
O


PAGE 1-B
2+
Ti
O


PAGE 2-A



HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L12 63 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN **Ruthenium, bis[(1-methyl-1H-imidazole-κN3)[29H,31H-phthalocyaninato(2-)-κN29,κN30κN31,κN32]iron]di-μ-oxo[5,10,15,20-tetrakis(4-methoxyphenyl)-21H,23H-porphinato(2-)-κN21,κN22,κN23,κN24]- (9CI)**
MF **C120 H80 Fe2 N24 O6 Ru**
CI CCS

STRUCTURE DIAGRAM IS NOT AVAILABLE

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L12 63 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN **Silicon, dimethylbis[2,3,9,10,16,17,23,24-octakis(pentyloxy)-29H,31H-phthalocyaninato(2-)-κN29,κN30,κN31,κN32]-μ-oxodi- (9CI)**
MF **C146 H198 N16 O17 Si2**
CI CCS

STRUCTURE DIAGRAM IS NOT AVAILABLE

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L12 63 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN **Iron, bis[2,3,9,10,16,17,23,24-octakis[(2-ethylhexyl)oxy]-29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]-μ-oxodi- (9CI)**
MF **C192 H288 Fe2 N16 O17**
CI CCS

STRUCTURE DIAGRAM IS NOT AVAILABLE

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L12 63 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN **Germanium, [(dimethyloctadecylsilanolato)[29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]silicon]hydroxy-μ-oxo[29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]- (9CI)**
MF **C84 H76 Ge N16 O3 Si2**
CI CCS

STRUCTURE DIAGRAM IS NOT AVAILABLE

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1)end

=> d his

(FILE 'HOME' ENTERED AT 14:19:39 ON 18 OCT 2005)

FILE 'REGISTRY' ENTERED AT 14:19:53 ON 18 OCT 2005
L1 1 S 574-93-6/RN
L2 1 S 23627-89-6/RN

```
L3            34 S 2 13560.6.4/RID
L4            33 S L3 AND NC=1
L5            27 S L4 AND O/ELS
L6             1 S 19717-79-4/RN
L7             1 S 16903-42-7/RN
L8           598 S 2 13605/RID
L9           476 S L8 AND O/ELS
L10          398 S L9 AND NC=1
L11          159 S L10 AND OXOBIS
L12           63 S L10 AND OXO NOT L11

=> fil ca
COST IN U.S. DOLLARS                                SINCE FILE      TOTAL
                                                       ENTRY    SESSION
FULL ESTIMATED COST                                    46.10      46.31

FILE 'CA' ENTERED AT 14:30:51 ON 18 OCT 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)
```



```
FILE COVERS 1907 - 13 Oct 2005 VOL 143 ISS 17
FILE LAST UPDATED: 13 Oct 2005  (20051013/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

  This file contains CAS Registry Numbers for easy and accurate
  substance identification.


=> s l12
L13          40 L12

=> s l13 and (electrophotog? or photoconduct? or photorecept?)
          65692 ELECTROPHOTOG?
          66593 PHOTOCONDUCT?
          34517 PHOTORECEPT?
L14           4 L13 AND (ELECTROPHOTOG? OR PHOTOCONDUCT? OR PHOTORECEPT?)

=> d fbib ab hitstr 1-4

L14  ANSWER 1 OF 4  CA  COPYRIGHT 2005 ACS on STN
Full Text
AN   136:270453  CA
TI   Electrophotographic photoreceptor containing tetraazaporphyrin
     derivative and charge-transporting polymer
IN   Komai, Yuko; Nanba, Michihiko; Shimada, Tomoyuki; Shoshi, Masayuki;
     Tadokoro, Kaoru; Tanaka, Chiaki; Sasaki, Masaomi
PA   Ricoh Co., Ltd., Japan
SO   Jpn. Kokai Tokkyo Koho, 57 pp.
     CODEN: JKXXAF
```

DT Patent
LA Japanese
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 2002082460	A2	20020322	JP 2000-269095	20000905
				JP 2000-269095	20000905

OS MARPAT 136:270453

AB The title **photoreceptor** has light-sensitive layers contg. a tetraazaporphyrin deriv. mixt. and a charge-transporting compd. on an electroconductive support, wherein the tetraazaporphyrin deriv. mixt. contains metal bis(tetraazaporphyrin deriv.) I (R101 = H, alkyl, aryl; R102-105 = H, halo, alkyl, aryl, cycloalkyl, nitro, cyano; n = 1-2; M = metal, metal oxide, metal hydroxide, etc.) and a metal tetraazaporphyrin deriv. The **photoreceptor** shows the high sensitivity and the good wearing-resistance.

IT **405113-32-8P 405113-33-9P 405113-34-0P**
RL: SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
(tetraazaporphyrin deriv. in **electrophotog. photoreceptor**)

RN 405113-32-8 CA

CN Titanium, dioxo[μ-[[2,2'-(1,4-phenylene)bis[3-phenyl-29H,31H-tribenzo[b,g,l]pyrazino[2,3-q]porphyrazinato-κN29,κN30,κN31,κN32]](4-)]]di- (9CI) (CA INDEX NAME)



PAGE 2-A



PAGE 2-B



PAGE 3-A





RN 405113-33-9 CA
CN Titanium, dioxo[μ-[[2,2'-(1,3-phenylene)bis[29H,31H-tribenzo[b,g,l]pyrazino[2,3-q]porphyrazinato-κN29,κN30,κN31,κN32]](4-)]]di- (9CI) (CA INDEX NAME)









RN 405113-34-0 CA
CN Titanium, dioxo[μ-[[2,2'-(1,4-phenylene)bis[29H,31H-tribenzo[b,g,l]pyrazino[2,3-q]porphyrazinato-κN29,κN30,κN31,κN32]](4-)]]di- (9CI) (CA INDEX NAME)




PAGE 1-B


PAGE 2-A
N
N
N
N
N
N
N
N
2+
O
Ti







L14 ANSWER 2 OF 4 CA COPYRIGHT 2005 ACS on STN
Full Text
AN 133:18773 CA
TI Oxoaluminum/gallium phthalocyanine dimers
IN Yamasaki, Yasuhiro; Takaki, Kenji; Kuroda, Kazuyoshi
PA Orient Chemical Industries, Ltd., Japan
SO Eur. Pat. Appl., 23 pp.
CODEN: EPXXDW
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 1004634	A2	20000531	EP 1999-123213	19991125
	EP 1004634	A3	20020306		
	EP 1004634	B1	20031008		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
				JP 1998-335729 A	19981126
	US 6093514	A	20000725	US 1999-444697	19991124
				JP 1998-335729 A	19981126
	JP 2000219817	A2	20000808	JP 1999-334128	19991125
				JP 1998-335729 A	19981126

AB The μ-oxoaluminum/gallium phthalocyanine dimers and their mixed crystals are suitable as a charge generating material for an org.

photoconductive material, such as an **electrophotog. photoreceptor**. Thus, hydrolyzing a mixt. of 0.01 mol chlorogallium phthalocyanine and 0.01 mol. chloroaluminum phthalocyanine with conc. H2SO4 followed by dehydrating the resulting hydroxymetal phthalocyanine mixt. gave an μ-oxo-aluminum/gallium phthalocyanine dimer.

IT **256647-36-6P**
RL: IMF (Industrial manufacture); PRP (Properties); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
(μ-oxoaluminum/gallium phthalocyanine dimers)

RN 256647-36-6 CA

CN Gallium, μ-oxo[29H,31H-phthalocyaninato(2-)-κN29,κN30,κN31,κN32][[29H,31H-phthalocyaninato(2-)-κN29,κN30,κN31,κN32]aluminum]- (9CI) (CA INDEX NAME)

STRUCTURE DIAGRAM IS NOT AVAILABLE

L14 ANSWER 3 OF 4 CA COPYRIGHT 2005 ACS on STN
Full Text

AN 132:144318 CA

TI μ-Oxo-bridged type aluminum and gallium phthalocyanine dimer - Synthesis, polymorphs and its primary evaluation as an **electrophotographic** receptor

AU Yamasaki, Yasuhiro; Takaki, Kenji; Kuroda, Kazuyoshi

CS 3rd R D Center, R D Department, Orient Chemical Industries, Ltd., Neyagawa-shi, 572-8581, Japan

SO Nippon Kagaku Kaishi (1999), (12), 841-845
CODEN: NKAKB8; ISSN: 0369-4577

PB Nippon Kagakkai

DT Journal

LA Japanese

AB We already found and reported that the specific polymorphs of μ-oxo-aluminum phthalocyanine dimer and μ-oxo-gallium phthalocyanine dimer have fairly good characteristics as the **electrophotog**. receptor. In connection with our ongoing works on this field, we are interested in the synthesis of μ-oxo-bridged dimers of diverse metal phthalocyanines for pursuing various charge generating materials in **electrophotog**. receptors. We report here the results of studies on the polymorphs of the titled phthalocyanine dimer, ie. μ-oxo-bridged between aluminum and gallium phthalocyanine dimer, and their primary **electrophotog**. evaluation.

IT **256647-36-6P**
RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
(synthesis of μ-oxo-bridged type aluminum and gallium phthalocyanine dimer)

RN 256647-36-6 CA

CN Gallium, μ-oxo[29H,31H-phthalocyaninato(2-)-κN29,κN30,κN31,κN32][[29H,31H-phthalocyaninato(2-)-κN29,κN30,κN31,κN32]aluminum]- (9CI) (CA INDEX NAME)

STRUCTURE DIAGRAM IS NOT AVAILABLE

L14 ANSWER 4 OF 4 CA COPYRIGHT 2005 ACS on STN
Full Text

AN 120:148867 CA

TI High-photosensitivity **electrophotographic photoreceptor**

IN Tai, Seiji; Katayose, Mitsuo; Morishita, Yoshii

PA Hitachi Chemical Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 22 pp.
CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

PATENT NO. KIND DATE APPLICATION NO. DATE

PI	JP 04362653	A2	19921215	JP 1991-138909	19910611
				JP 1991-138909	19910611

AB In the title **electrophotog. photoreceptor** comprising an org. **photoconductive** layer on an elec. conductive support, I [M = Al, Ga, In, Si, Ge, Sn; A1-8 = benzene ring, naphthalene ring, anthracene ring, N-contg. arom. ring; X = halo, R1, OR2, SR3, SiR4R5R6, SO2NR7R8, SO2R9, COR10, COOR11, CONHR12, NR13R14, R15OR16, NO2, SO3H, CN, NHCOR17; g, h, i, j, k, l, m, n = 0-8; Y1,2 = halo, OH, R18, OR19, OSiR20R21R22; R1-22 = H, alkyl, cycloalkyl, aryl, halogenated alkyl, Si-contg. group] is utilized as a **photoconductive** substance in the **photoconductive** layer. The **photoreceptor** shows high photosensitivity to the long wavelength region and is suitable for use in a laser printer.

IT **151989-12-7**

RL: USES (Uses)
(charge-generating material, for **electrophotog. photoreceptor**)

RN 151989-12-7 CA

CN Silicon, μ-oxo[29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32][C,C,C,C-tetrakis(trimethylsilyl)-29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]bis(tripropylsilanolato)di- (9CI) (CA INDEX NAME)

STRUCTURE DIAGRAM IS NOT AVAILABLE

=>